

| L Number | Hits | Search Text | DB | Time stamp |
|----------|--------|---|---|---------------------|
| 1 | 4434 | 719/\$.ccls. | USPAT; US-PGPUB | 2004/08/11 15:54 |
| 26 | 0 | profil\$5.ti. and @ad<=19990128 and (without adj compiler) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/11 15:55 |
| 35 | 0 | ((US-6000028-\$).did.) and time\$1stamp | USPAT | 2004/08/11 15:55 |
| 40 | 0 | ((US-6212493-\$ or US-6002872-\$ or US-5768500-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and ((first and second) adj (processor or CPU or multi\$1processor)) | USPAT | 2004/08/11 15:55 |
| 47 | 0 | ((US-6000028-\$).did.) and (hardware and software) | USPAT | 2004/08/11 15:55 |
| 50 | 0 | (identif\$4 with instruction with text with execut\$4) and 709/1-108.ccls. | USPAT | 2004/08/11 15:55 |
| 51 | 0 | ((identif\$4 with instruction with text with execut\$4) and 709/1-108.ccls.) and @ad<=19990128 | USPAT | 2004/08/11 15:55 |
| 55 | 0 | ((instruction same ((stor\$4 sav\$4 record\$4) adj event)) and @ad<=19990128) and 709/1-108.ccls. | USPAT | 2004/08/11 15:56 |
| 56 | 0 | (instruction with sequential\$4 with adjacent) and 709/1-108.ccls. | USPAT | 2004/08/11 15:56 |
| 57 | 84 | instruction with sequential\$4 with adjacent | USPAT | 2004/08/11 15:56 |
| 62 | 10 | (profile adj circuitry) and @ad<=19990128 | USPAT | 2004/08/11 15:56 |
| 63 | 219365 | profil\$4 and @ad<=19990128 | USPAT | 2004/08/11 15:56 |
| 64 | 193 | (profil\$4 and @ad<=19990128) and ((record\$4 sav\$4 stor\$4) with address with (range boundaries)) | USPAT | 2004/08/11 15:56 |
| 68 | 0 | (profil\$4 and @ad<=19990128) and (address adj range adj complet\$4) | USPAT | 2004/08/11 15:56 |
| 72 | 439 | ((record\$4 sav\$4 stor\$4) with (last adj byte)) and @ad<=19990128 | USPAT | 2004/08/11 15:56 |
| 75 | 0 | ((record\$4 sav\$4 stor\$4) with (last adj byte) with (range boundary)) and @ad<=19990128) and profil\$4 | USPAT | 2004/08/11 15:56 |
| 2 | 44623 | profil\$5.ti. and @ad<=19990128 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/11 15:57 |
| 3 | 131 | (profil\$5.ti. and @ad<=19990128) and (execut\$5 with instruction) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/11 15:57 |
| 4 | 2 | ((profil\$5.ti. and @ad<=19990128) and (execut\$5 with instruction)) and (instruction adj pipeline) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/08/11 15:57 |
| 5 | 1 | ("3544969").PN. | USPAT | 2004/08/11 15:57 |
| 6 | 1 | ("3781823").PN. | USPAT | 2004/08/11 15:57 |
| 7 | 1 | ("4084235").PN. | USPAT | 2004/08/11 15:57 |

| | | | | |
|----|----|---|-------|---------------------|
| 8 | 1 | ("4455602").PN. | USPAT | 2004/08/11 15:57 |
| 9 | 1 | ("4575797").PN. | USPAT | 2004/08/11 15:57 |
| 10 | 1 | ("5542109").PN. | USPAT | 2004/08/11 15:57 |
| 11 | 1 | ("5638525").PN. | USPAT | 2004/08/11 15:57 |
| 12 | 1 | ("5796939").PN. | USPAT | 2004/08/11 15:57 |
| 13 | 1 | ("5802272").PN. | USPAT | 2004/08/11 15:57 |
| 14 | 1 | ("5802373").PN. | USPAT | 2004/08/11 15:57 |
| 15 | 1 | ("5822578").PN. | USPAT | 2004/08/11 15:57 |
| 16 | 1 | ("5832205").PN. | USPAT | 2004/08/11 15:57 |
| 17 | 1 | ("5842017").PN. | USPAT | 2004/08/11 15:57 |
| 18 | 1 | ("5930509").PN. | USPAT | 2004/08/11 15:57 |
| 19 | 1 | ("5949415").PN. | USPAT | 2004/08/11 15:57 |
| 20 | 1 | ("5958047").PN. | USPAT | 2004/08/11 15:57 |
| 21 | 1 | ("6000028").PN. | USPAT | 2004/08/11 15:57 |
| 22 | 1 | ("6091897").PN. | USPAT | 2004/08/11 15:57 |
| 23 | 17 | (US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did. | USPAT | 2004/08/11 15:57 |
| 24 | 12 | ((US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and compiler | USPAT | 2004/08/11 15:57 |
| 25 | 8 | ((US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and (execut\$4 with profil\$5) | USPAT | 2004/08/11 15:57 |
| 27 | 17 | (US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did. | USPAT | 2004/08/11 15:57 |

| | | | | |
|----|----|--|---|---------------------|
| 28 | 9 | ((US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and profil\$4 | USPAT | 2004/08/11 15:57 |
| 29 | 17 | ((US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and (stor\$4 or sav\$4 or memory or source or destination or (control adj flow) or event or diverg\$4 or sequen\$5) | USPAT | 2004/08/11 15:57 |
| 30 | 16 | ((US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and (sequen\$5) | USPAT | 2004/08/11 15:57 |
| 31 | 17 | ((US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did. | USPAT | 2004/08/11 15:57 |
| 32 | 3 | ((US-6212493-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and timer | USPAT | 2004/08/11 15:57 |
| 33 | 32 | (profil\$5.ti. and @ad<=19990128) and (execut\$5 with instruction) and timer | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/08/11 15:57 |
| 34 | 13 | (profil\$5.ti. and @ad<=19990128) and (execut\$5 with instruction) and (timer same event) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/08/11 15:57 |
| 36 | 2 | ((profil\$5.ti. and @ad<=19990128) and (execut\$5 with instruction) and timer) and time\$1stamp | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/08/11 15:57 |

| | | | | |
|----|-----|--|-------|---------------------|
| 37 | 19 | (US-6212493-\$ or US-6002872-\$ or US-5768500-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did. | USPAT | 2004/08/11 15:57 |
| 38 | 15 | ((US-6212493-\$ or US-6002872-\$ or US-5768500-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and ((first or second) with (processor or CPU or multi\$1processor)) | USPAT | 2004/08/11 15:57 |
| 39 | 12 | ((US-6212493-\$ or US-6002872-\$ or US-5768500-\$ or US-3781823-\$ or US-4084235-\$ or US-4455602-\$ or US-4575797-\$ or US-5542109-\$ or US-5638525-\$ or US-5796939-\$ or US-5802272-\$ or US-5802373-\$ or US-5822578-\$ or US-5832205-\$ or US-5842017-\$ or US-5930509-\$ or US-5949415-\$ or US-5958047-\$ or US-6000028-\$ or US-6091897-\$).did.) and ((first and second) with (processor or CPU or multi\$1processor)) | USPAT | 2004/08/11 15:57 |
| 41 | 796 | ((first adj processor) same (second adj processor)) and @ad<=19990128 and multi\$1processor | USPAT | 2004/08/11 15:58 |
| 42 | 218 | ((first adj processor) same (second adj processor)) and @ad<=19990128 and multi\$1processor) and pipelin\$4 | USPAT | 2004/08/11 15:58 |
| 43 | 7 | ((first adj processor) same (second adj processor)) and @ad<=19990128 and multi\$1processor) and pipelin\$4) and profil\$4 | USPAT | 2004/08/11 15:58 |
| 44 | 53 | ((first adj processor) same (second adj processor)) and @ad<=19990128 and multi\$1processor) and ((instruction data) adj pipelin\$4) | USPAT | 2004/08/11 15:58 |
| 45 | 1 | (US-6000028-\$).did. | USPAT | 2004/08/11 15:58 |
| 46 | 1 | ((US-6000028-\$).did.) and (pipeline memory queue list) | USPAT | 2004/08/11 15:58 |
| 48 | 1 | ((US-6000028-\$).did.) and (hardware software) | USPAT | 2004/08/11 15:58 |
| 49 | 53 | identif\$4 with instruction with text with execut\$4 | USPAT | 2004/08/11 15:58 |
| 52 | 37 | (identif\$4 with instruction with text with execut\$4) and @ad<=19990128 | USPAT | 2004/08/11 15:58 |
| 53 | 1 | (identif\$4 with instruction with text with execut\$4 with page) and @ad<=19990128 | USPAT | 2004/08/11 15:58 |
| 54 | 193 | (instruction same ((stor\$4 sav\$4 record\$4) adj event)) and @ad<=19990128 | USPAT | 2004/08/11 15:58 |
| 58 | 68 | (instruction with sequential\$4 with adjacent) and @ad<=19990128 | USPAT | 2004/08/11 15:58 |
| 59 | 5 | ((instruction with sequential\$4 with adjacent) and @ad<=19990128) and profil\$4 | USPAT | 2004/08/11 15:58 |
| 60 | 15 | instruction with sequential\$4 with adjacent with address | USPAT | 2004/08/11 15:58 |
| 61 | 12 | (instruction with sequential\$4 with adjacent with address) and @ad<=19990128 | USPAT | 2004/08/11 15:58 |

| | | | | |
|----|------|---|-------|---------------------|
| 65 | 14 | ((profil\$4 and @ad<=19990128) and ((record\$4 sav\$4 stor\$4) with address with (range boundaries))) and (byte with (boundary range)) | USPAT | 2004/08/11 15:58 |
| 66 | 2 | ((profil\$4 and @ad<=19990128) and ((record\$4 sav\$4 stor\$4) with address with (range boundaries))) and (byte with (boundary range) with every) | USPAT | 2004/08/11 15:58 |
| 67 | 3 | (profil\$4 and @ad<=19990128) and ((record\$4 sav\$4 stor\$4) with address with (range boundaries) with (complet\$4 finish\$4)) | USPAT | 2004/08/11 15:58 |
| 69 | 2 | address adj range adj complet\$4 | USPAT | 2004/08/11 15:58 |
| 70 | 3263 | (record\$4 sav\$4 stor\$4) with every with address | USPAT | 2004/08/11 15:59 |
| 71 | 1 | (address adj range adj complet\$4) and @ad<=19990128 | USPAT | 2004/08/11 15:59 |
| 73 | 19 | ((record\$4 sav\$4 stor\$4) with (last adj byte)) and @ad<=19990128) and profil\$4 | USPAT | 2004/08/11 15:59 |
| 74 | 16 | ((record\$4 sav\$4 stor\$4) with (last adj byte) with (range boundary)) and @ad<=19990128 | USPAT | 2004/08/11 15:59 |